

苏州宇园机械有限公司

Suzhou Yuyuan Machinery Co.,LTD

地址: 苏州市吴中区东山镇紫金路888号

Address: No.888 Zijin Road,Dongshan Road,Wuzhong District ,Suzhou

办公室电话: 0512-66399580

联系人: Mr.Qin 13771808988

邮箱: guirong.qin@szyym.net

catherine.kong@szyym.net



苏州宇园机械有限公司

Suzhou Yuyuan Machinery Co.,LTD





■ 公司简介 / Introduction

苏州宇园机械有限公司成立于 2015 年，坐落于江苏省苏州市东山风景区，占地面积 20000 平方米，建筑面积达 15000 平方米，现有员工 100 余人，是一家集生产销售于一体的现代化企业，公司主营花园工具类产品以及相关的配件，主要生产打草机、修枝机、吹风机、打草线以及各类模具注塑产品。本着“诚信至上”的原则，已与国内外多家企业建立了长期的合作关系。诚挚欢迎各界朋友前来参观、考察，合作共赢！

Suzhou Yuyuan Machinery Co.,LTD was established in 2015.We are located in Suzhou Jiangsu Province.Covering an area of 20000 square meters and a construction area of 15000 square meters,now we have over 100 employees.Yuyuan is a manufacturer and trader specialized in the research,development and production of garden tools and related accessories.Our main products are grass trimmer, hedge trimmer, blower, cutting line and all kinds of molding plastic products. Stick to "Honesty is the best policy", now Yuyuan has entered into strategic partnership with many companies. We sincerely welcome customers from all over the world to visit and cooperate for win-win results!

苏州宇园机械有限公司

苏州宇园机械有限公司





Ht2301


| | |
|-----------------|----------|
| Model | Ht2301 |
| Voltage | 20V |
| Current | 5.5A |
| Cutting ability | φ 14*510 |



Cs205

| | |
|-----------------|-------|
| Model | Cs205 |
| Voltage | 20V |
| Current | 4.5A |
| Cutting ability | 5 |





MHT-20LD

| | | |
|-----------------|-------------------------------------|-------------------------------------|
| Model | MHT-20LD | MHT-7.2LD |
| Voltage | 20V | 7.2V |
| Current | 1.0A | 0.8A |
| Cutting ability | Mowing grass: 100MM Prune: 200MM | Mowing grass: 100MM Prune: 150MM |



Gt2302

| | |
|-----------------|--------|
| Model | Gt2302 |
| Voltage | 20V |
| Current | 4.5A |
| Cutting ability | 250mm |



■ GT1703 / GT1701
GT1703A / GT1701A

| Model | GT1703 | GT1701 | GT1703A | GT1701A |
|-----------------------------|---------------|---------|---------------|---------|
| Voltage | 18Vdc | 18Vdc | 20Vdc | 20Vdc |
| No load Speed | 9000 | 8700 | 9000 | 8700 |
| Max cutting diameter | 240mm | 250mm | 240mm | 250mm |
| Line | Plastic Blade | Φ1.6*3M | Plastic Blade | Φ1.6*3M |
| Dual line feed | Y | Y | Y | Y |
| Adjustable auxiliary handle | Y | Y | Y | Y |
| Telescope tube | Y | Y | Y | Y |
| Flower guard | Y | Y | Y | Y |



■ GT1707 / GT1708
GT1707A / GT1708A

| Model | GT1707 | GT1708 | GT1707A | GT1708A |
|-----------------------------|---------|---------------|---------|---------------|
| Voltage | 18Vdc | 18Vdc | 20Vdc | 20Vdc |
| No load Speed | 8700 | 9000 | 8700 | 9000 |
| Max cutting diameter | 250mm | 240mm | 250mm | 240mm |
| Line | Φ1.6*3M | Plastic Blade | Φ1.6*3M | Plastic Blade |
| Dual line feed | Y | Y | Y | Y |
| Adjustable auxiliary handle | N | N | N | N |
| Telescope tube | N | N | N | N |
| Flower guard | N | N | N | N |





■ Blower

| | |
|---------------|----------------------|
| Model | BLW1900 |
| Voltage | 230V |
| No load Speed | 13500RPM |
| Air speed | 55M/S |
| Air volume | 780M ³ /H |



■ Blower

| | |
|---------------|----------------------|
| Model | BLZ1901 |
| Voltage | 20V |
| No load Speed | 18000RPM |
| Air speed | 35M/S |
| Air volume | 500M ³ /H |





Blower

| | |
|---------------|---------|
| Model | BLZ1803 |
| Voltage | 18VDC |
| No load Speed | 11000 |
| Air speed | 180KM/H |



Hedge Trimmer

| | |
|----------------|----------|
| Model | HT1801 |
| Power | 550W |
| Voltage | 230/50Hz |
| No load Speed | 1400 |
| Cutting Length | 600 |





Hedge Trimmer

| | |
|----------------------|--------|
| Model | HT1800 |
| Voltage | 18Vdc |
| No load Speed | 2400 |
| Max cutting diameter | 14X510 |



Blower

| | |
|---------------|----------------------|
| Model | BLV1800 |
| Power | 1800W |
| Voltage | 230~240/50Hz |
| No load Speed | 15000 |
| Air speed | 320KM/H |
| Air volume | 350m ³ /H |





■ GT250A-2

| | |
|-----------------------------|-----------|
| Model | GT250A-2 |
| Power | 250W |
| Voltage | 230~50Hz |
| No load Speed | 12000 |
| Max cutting diameter | 210mm |
| Line | Φ1.2MM*6M |
| Dual line feed | Y |
| Adjustable auxiliary handle | N |
| Telescope tube | N |
| Flower guard | N |



■ GT280

| | |
|-----------------------------|-----------|
| Model | GT280 |
| Power | 280W |
| Voltage | 230~50Hz |
| No load Speed | 11000 |
| Max cutting diameter | 210mm |
| Line | Φ1.4MM*6M |
| Dual line feed | Y |
| Adjustable auxiliary handle | N |
| Telescope tube | N |
| Flower guard | N |



■ GT1706B / GT1706C

| Model | GT1706B | GT1706C |
|-----------------------------|-----------|-----------|
| Power | 300W | 350W |
| Voltage | 230~50Hz | 230~50Hz |
| No load Speed | 10500 | 10500 |
| Max cutting diameter | 250mm | 250mm |
| Line | Φ1.4MM*8M | Φ1.4MM*8M |
| Dual line feed | Y | Y |
| Adjustable auxiliary handle | N | N |
| Telescope tube | N | N |
| Flower guard | N | N |



■ GT300G

| Model | GT300G |
|-----------------------------|-----------|
| Power | 300W |
| Voltage | 230~50Hz |
| No load Speed | 10500 |
| Max cutting diameter | 250mm |
| Line | Φ1.4MM*6M |
| Dual line feed | Y |
| Adjustable auxiliary handle | N |
| Telescope tube | N |
| Flower guard | Y |





■ GT400G / GT500G / GT600G

| Model | GT400G | GT500G | GT600G |
|-----------------------------|------------|-----------|-----------|
| Power | 400W | 500W | 600W |
| Voltage | 230~50Hz | 230~50Hz | 230~50Hz |
| No load Speed | 10000 | 9000 | 8600 |
| Max cutting diameter | 270mm | 320mm | 350mm |
| Line | Φ1.4MM*10M | Φ1.6MM*8M | Φ1.6MM*8M |
| Dual line feed | Y | Y | Y |
| Adjustable auxiliary handle | Y | Y | Y |
| Telescope tube | Y | Y | Y |
| Flower guard | Y | Y | Y |



■ GT350A

| Model | GT350A |
|-----------------------------|-----------|
| Power | 350W |
| Voltage | 230~50Hz |
| No load Speed | 11000 |
| Max cutting diameter | 250mm |
| Line | Φ1.4MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |






GT350C

| | |
|-----------------------------|-----------|
| Model | GT350C |
| Power | 350W |
| Voltage | 230-50Hz |
| No load Speed | 11000 |
| Max cutting diameter | 250mm |
| Line | Φ1.4MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |



GLR450

| | |
|-----------------------------|------------|
| Model | GLR450 |
| Power | 450W |
| Voltage | 230-50Hz |
| No load Speed | 8800 |
| Max cutting diameter | 300mm |
| Line | Φ1.4MM*10M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |





GT500A

| | |
|-----------------------------|-----------|
| Model | GT500A |
| Power | 500W |
| Voltage | 230~50Hz |
| No load Speed | 9500 |
| Max cutting diameter | 300mm |
| Line | Φ1.4MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |



GT500D-A

| | |
|-----------------------------|--------------|
| Model | GT500D-A |
| Power | 500W |
| Voltage | 220~240,50Hz |
| No load Speed | 9300 |
| Max cutting diameter | 290mm |
| Line | Φ1.5MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |



GT500D-B

| | |
|-----------------------------|--------------|
| Model | GT500D-B |
| Power | 600W |
| Voltage | 220~240,50Hz |
| No load Speed | 9300 |
| Max cutting diameter | 320mm |
| Line | Φ1.6MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |



GT600D

| | |
|-----------------------------|--------------|
| Model | GT600D |
| Power | 600W |
| Voltage | 220~240,50Hz |
| No load Speed | 9300 |
| Max cutting diameter | 320mm |
| Line | Φ1.5MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |



■ GT1704B

| | |
|-----------------------------|-----------|
| Model | GT1704B |
| Power | 500W |
| Voltage | 230~50Hz |
| No load Speed | 8800 |
| Max cutting diameter | 300mm |
| Line | Φ1.6MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |



■ GT1709B

| | |
|-----------------------------|-----------|
| Model | GT1709B |
| Power | 600W |
| Voltage | 230~50Hz |
| No load Speed | 8800 |
| Max cutting diameter | 320mm |
| Line | Φ1.6MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |





GT1705B

| | |
|-----------------------------|-----------|
| Model | GT1705B |
| Power | 600W |
| Voltage | 230~50Hz |
| No load Speed | 8800 |
| Max cutting diameter | 320mm |
| Line | Φ1.6MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |



GT1710

| | |
|-----------------------------|-----------|
| Model | GT1710 |
| Power | 600W |
| Voltage | 230~50Hz |
| No load Speed | 8800 |
| Max cutting diameter | 320mm |
| Line | Φ1.6MM*8M |
| Dual line feed | Y |
| Adjustable auxiliary handle | Y |
| Telescope tube | Y |
| Flower guard | Y |



Accessories



YY-L005



YY-L006



YY-L007



YY-L001



YY-L002



YY-L003



YY-L004



YY-L022



YY-L023



YY-L024



YY-L025



YY-S001



YY-S002



YY-S003



YY-S004



YY-S005



YY-S006



YY-S007



YY-S008



YY-S009



YY-S010



YY-S011



YY-L009



YY-L010



YY-L011



YY-L012



YY-L014



YY-L015



YY-L016



YY-L017



YY-L018



YY-L013



YY-L019



YY-L020



YY-L021

